



Serien Lighting

Cavity Recessed L


Oberfläche

- aluminio
- negro
- bronce
- blanco

Voltage

- 230 - 240
- 110 - 125

Technical details

País de origen	 Alemania
Fabricante	Serien Lighting
Diseñador	Jean-Marc da Costa und Manfred Wolf
año	2019
Índice de protección / Protección IP	IP20
Contenido del paquete	LED
entrada de tensión	110 - 240 Volt
Diámetro en cm	13
material	aluminio
Atenuación	dimnable con control de fase inversa y con reguladores de control de fase
Potencia en vatios	20 W
LED	incluyendo
Indice de reproduccion cromatica	>95
El flujo luminoso en lm	2.070
Temperatura de color en grados Kelvin	2.700 extra blanco cálido
reemplazo de la bombilla:	en el sitio mismo
Dimensions	H 3 cm Ø 13 cm

Descripción

The Serien Lighting Cavity Recessed L is suitable for installation in cavity ceilings. This ceiling lamp is 2.8 cm high and has a diameter of 12.5 cm. It emits its light mainly directly downwards. The LED is recessed in the lamp so that the light is shielded to the side. Part of the emitted light is reflected by the lamp itself. The Cavity Recessed L is made of aluminum and is available in black, white, aluminum gloss finish and bronze finish. The integrated LED can be replaced if necessary and is dimmable on site with a trailing edge or leading edge phase dimmer. It is supplied with a colour temperature of 2,700 Kelvin extra warm white as standard. On request, the recessed ceiling light is also available with a colour temperature of 3,000 Kelvin warm white or DALI dimmable. A driver is included in the scope of delivery.