

Knapstein

LISA-60

Oberfläche

- níquel
- negro
- bronce

Technical details

País de la Fabricación

fabricante

diseñador

año

protección

Volumen de suministro

entrada de tensión

Diámetro en cm

material

ajuste de altura

Atenuación

Potencia en vatios

LED

Indice de reproduccion cromatica

El flujo luminoso en lm

Temperatura de color en grados Kelvin

Keiviii

Dimensiones del dosel

reemplazo de la bombilla:

altura total Dimensions Alemania

Knapstein

Knapstein

2021

IP20 LED

230 - 240 Volt

60

latón

altura ajustable

control por movimientos

72 W

incluyendo

>90

7.850

2200 - 3000 ajustable

35 cm

en el fabricante / en la

fabrica

70 - 170 cm

H 2,8 cm | Ø 60 cm

Descripción

The Knapstein LISA-60 is a ring-shaped pendant lamp with a diameter of 60 cm. The ring-shaped lamp body is 2.8 cm high and 1.8 cm wide. By pulling or lifting the lamp, the total height of the lamp can be adjusted continuously between 70 cm and 170 cm. The lamp can also be suspended from a sloping ceiling. The light from this pendant light is emitted upwards and downwards at the same time. The uplight and the downlight can be switched separately and dimmed continuously via gesture control. Using gesture control, it is also possible to adjust the light colour for the uplight and downlight to a warmer tone (between the colour temperature of 3,000 Kelvin warm white and 2,200 Kelvin extra warm white). All dimming and light colour settings are saved via a memory function and automatically reset the next time the lamp is switched on.

A wiping hand movement in the sensor area switches the light on or off. To dim the light, the hand is held in the sensor area for a longer period of time. The lamp flickers briefly after the dimming process is completed. The desired light colour can then be set by again holding the hand in the sensor area for a longer period of time. The LISA-60 is available in matt nickel, black and bronze effect finishes. On request, the LISA is also available in other sizes or finishes. Its ceiling canopy has no visible screws as it is held in place by magnets.