

less'n'more

Ylux Wall / Ceiling Spotlight

Leuchtenkopf

- glanzend zwart
- matzwart
- gepolijst aluminium
- glanzend wit
- wit mat

Baldachin

- betongrijs
- betonwit

Dimmbarkeit

- Rotary dimmer op het hoofd
- dimbaar op locatie met faseafsnijding dimmer

Technical details

Land van fabricage

fabrikant

ontwerper

bescherming

Omvang van de levering

Duitsland

less'n'more

less'n'more

IP43

LED

voltage geschiktheid 230 - 240 Volt

materiaal aluminium, beton, glas

stralingshoek 50 - 100 Graad

Wattage 12,6 W
LED inclusief
Kleurweergave-index 95
Lichtstroom in Im 1.200
luifel Dimensions 15 cm
lampkop massa 9 cm

bulb vervangen: ter plaatse zelf

LED Aantal 1
lichtverdeling direct
Dimensions H 18 cm

Omschrijving

The Less'n'more Ylux Wall / Ceiling Spotlight can be used for the ceiling or wall. The lamp head can be rotated by 360 degrees and tilted by 135 degrees. It has a diameter of 9 cm. The light source is an integrated LED with a colour temperature of 2,700 Kelvin extra warm white. The beam angle of the lamp head is continuously adjustable from 50 to 100 degrees by turning the glass lens out of or back into the lamp head. With a larger beam angle, the light is distributed over a larger area.

The Ylux Wall / Ceiling Spotlight has a canopy with a diameter of 15 cm and a height of 5.5 cm. This is available in concrete white or concrete grey. On request, the lamp is also offered with a canopy in black. Due to the natural composition of the material, the surfaces for the canopy can vary, i.e. lighter/darker. On request, this wall / ceiling lamp is also available as a recessed lamp with an aluminum mounting plate with a diameter of 10 cm.

The lamp head of the Ylux wall / ceiling spotlight is available in the colours aluminum polished, glossy white, matt white, glossy black or matt black. It is made of aluminum. The lamp is offered dimmable on site with a trailing edge phase dimmer or with an integrated rotary dimmer on the lamp head. On request, the wall and ceiling lamp is also available DALI dimmable.